

Number	From	Date
1	ISAF Technical Delegate	2 June 2014

General

Question 1

Are competitors allowed to bring their sail(s) to hotel? Just to dry it and/or to tape tell tails on?

Answer:

No, see NOR 15 and SI D1.2.

Question 2:

In case a provided sheet seems to be very long are competitors allowed to shorten them?

Answer:

No, see NOR Addendum B.2 and SI Addendum D1.5.

Question 3:

Are sailors permitted to stick/add PRO-GRIP on their boats?

Answer:

Yes, but the tape must be removable after the event without leaving permanent damage, see NOR Addendum B.6.

Question 4:

Are electronic compasses allowed?

Answer:

Yes, provided class rules are complied with.

420 Class

420-Q1:

May competitors use their own jib luff wire?

Answer:

No, see NOR Addendum B.2 and SI D1.5

420-Q2:

Will competitors be able to place a PVC tube that has numbers written on it over the vang rope?

Answer:

No, see answer to 420-Q1.

420-Q3:

Will the sailors be permitted to change the leg strap position by using fittings that do not require drilling holes?

Answer:

No, see answer to 420-Q1

420-Q4:

May competitors use a small ball at the end of the spinnaker halyard?

Answer:

No. See answer to 420-Q1

420-Q5:

Is it allowed to use a fitting made of plastic/wood in the spreaders to prevent the spinnaker halyard going around the shrouds?

Answer:

No, see answer to 420-Q1.

420-Q6:

May competitors use a small ball at the end of the spinnaker halyard?

Answer:

No, see answer to 420-Q1.

SL16 Class

SL 16-Q1:

Are competitors allowed to use their own cleats to adjust the trapeze while sailing?

Answer:

No, see NOR Addendum B.2 and SI Addendum D1.5.

SL16-Q2:

Is tape on the rudder blade where it engages within the rudder stock considered above or below the waterline?

Answer:

Above

29er Class

29er-Q1:

Can competitors remove the footstraps?

Answer:

No. See NOR Addendum B.2 and SI Addendum D1.5

29er-Q2:

Can the competitors put one extra loop on the jib sheet?

Answer:

No. An extra loop would need the use of an extra block. See answer to 29er-Q1

29er-Q3:

Can the centrecase be packed to create a firm fit of the centreboard?

Answer:

Yes, provided NOR Addendum B.6 is complied with.

29er-Q4:

Is it allowed to use a wedge under the mast?

Answer:

No. See answer to 29er-Q1

Laser Radial Class

Laser Radial-Q1:

May competitors use their own line for the adjustment of the hiking straps?

Answer:

Yes, see NOR Addendum B.7a) and SI Addendum D2.1

Laser Radial-Q2:

May competitors use their own hiking strap?

Answer:

No, see NOR Addendum B.2 and SI Addendum D1.5

Laser Radial-Q2:

Could you clarify the equipment that competitors must bring and use during the event?

Answer:

The equipment that will not be provided is as follows:



Tiller and extension

Mainsheet

Clew strap or rope

Dagger board shockcord with plastic clip

Traveller blocks large and small and traveller rope

Mainsheet ratchet block with shackle and spring

Cunningham system ropes and blocks

Outhaul system ropes, shock cord and blocks

Kicker system vang unit ropes and blocks

Mast retention rope

ISAF Technical Delegate,
Antonio González de la Madrid