

Sailing

Tracking Mounting Manual



1

Classes

Laser, Laser Radial, RS:X, 470, 49er, 49FX,
Finn, Nacra 17, 2.4mR, Sonar, Skud 18

Equipment



/ 1 / Socket plate

Used for attaching the Module.

This plate will stay on your boat for the entire duration of the regatta. This is the piece that identifies you and your boat.


/ 2 / Swiss Timing Tracking Module

Must be securely clicked on to your Socket.

Collected every day while signing off. **Return** to same location within the protest time limit.

The tracking module calculates your position and transmits.

Socket Information



Two ways to mount this on your boat:

/ 1 / Using Velcro Tape and a safety line

/ 2 / Using cable ties


Please mount your socket so that the number is on the outside and readable.

Swiss Timing Tracking Module Information



-  Start sliding from half way along the Socket as shown in picture / 2 /
-  Slide module onto Socket and make sure you hear the click. The 'click' means the Module is locked to the Socket. Please check that it does not comes off.

RS:X Men & Women



Place:

 inside the sail pocket.

Mounting material:

 Socket will have a rope.

 This rope is to be securely attached to the loop inside the sail pocket.

 Antenna pointing down.

Keep the socket clear of the batten.

Laser & Laser Radial



Place:

- ❖ On the mast just below the height of the boom

Mounting material:

- ❖ Antenna pointing up
- ❖ Two Cable ties

Please mount your socket so that the number is on the outside and readable.

470 Men & Women



Place:

 of transom bar, above rudder.


Mounting material:

 Two cable ties

Please mount your socket so that the number is on the outside and readable.



Finn



Place:

- ❖ On the foredeck
- ❖ Just before mast and after the hatch

Mounting material:

- ❖ Velcro tape and safety line. Antenna to the bow of the boat. Ensure you have the safety line attached around the mast!
- ❖ It is acceptable to remove the module from the socket when being towed
- ❖ don't forget to secure the module when you reach the race area

49er and 49erFX



Place:

-  On the top side of the boom as pictured (must be clear of vange bar)

Mounting material:

-  2 cable ties
-  Antenna to the stern of the boat

Please mount your socket so that the number is on the outside and readable.

Nacra 17



Please mount your socket so that the number is on the outside and readable.

Place:


-  On underside of the boom as pictured (must be clear of vange)

Mounting material:

-  2 cable ties
-  Antenna to the bow of the boat
-  Do not bend antenna



2.4 mR Class



Place:


- ❖ On the spreader, next to the mast,
Either starboard or backboard side

Mounting material:

- ❖ Cable ties & Socket
- ❖ Please do not attach socket to close
to mast
- ❖ GPS Device will be slide on that way

**Please mount your socket so that the
number is on the outside and readable.**

Sonar Class



Place:

- ❖ On stern deck, just to the portside of the backstay fitting

Mounting material:

- ❖ Velcro tape and safety line to backstay fitting
- ❖ Antenna to the portside
- ❖ Ensure safety line is clear of all control lines

Please mount your socket so that the number is on the outside and readable.

Skud 18



Place:

- ❖ Backboard wall of the cockpit, as far to the stern as possible

Mounting material:

- ❖ Velcro tape and safety line shackle saddle on deck
- ❖ Antenna upright and must be above the deck

Please mount your socket so that the number is on the outside and readable.