



World Sailing
Class Association

KONA
CLASS RULES
2017



ONE DESIGN CLASS

INDEX

INTRODUCTION.....	3	C.9 Sail.....	8
PART I – ADMINISTRATION		Section D – Hull	
Section A – General		D.1 General.....	9
A.1 Language	4	D.2 Materials, construction & Dimensions.....	9
A.2 Abbreviations	4	D.3 Fittings.....	9
A.3 Authorities and Responsibilities	4	Section E – Hull Appendages	
A.4 WS Rules	4	E.1 Parts.....	9
A.5 Class Rules Amendments.....	4	E.2 General.....	9
A.6 Class Rules Interpretations.	4	E.3 Materials, Construction & Dimensions.....	9
A.7 Licensed Manufacturers.....	4	Section F – Rig	
A.8 Sail Numbers.....	4	F.1 General.....	9
Section B – Boat Eligibility		F.2 Materials, Construction & Dimensions.....	9
B.1 Hull Certification/ Markings..	5	Section G – Sails	
B.2 Event Inspection	5	G.1 Parts.....	9
B.3 Event Limitation marks....	5	G.2 Manufacturers.....	9
		G.3 Identification.....	10
PART II – REQUIREMENTS AND LIMITATIONS		G.4 Materials, Construction & Dimensions	10
Section C – Conditions for Racing		G.5 Fittings.....	10
C.1 General	6		
C.2 Crew.....	6	PART III - APPENDICES	
C.3 Personal Equipment	6	Section H – Measurement Instructions	
C.4 Portable Equipment.....	6		
C.5 Advertising	6		
C.6 Hull.....	6		
C.7 Hull Appendages.....	7		
C.8 Rig.....	7		

INTRODUCTION

The Kona Class is devoted to the development of inexpensive one design racing, with an easy format where the emphasis is on tactics rather than equipment.

The Kona hulls, hull appendages, and sails shall only be manufactured by Kona Windsurfing AB or their appointed manufacturers. Such equipment is required to comply with the Kona One Design Building Specification and is subject to a WS approved manufacturing control system.

After Kona hulls, hull appendages, rigs and sails have left the manufacturer, they may only be altered to the extent permitted in Section C of these class rules.

Rules regulating the use of equipment during a race are contained in Section C of these class rules, in the Equipment Rules of Sailing Part I and in the Racing Rules of Sailing.

This introduction only provides an informal background and the Kona Class Rules proper begin on the next page.

PART I – ADMINISTRATION

Section A – General

A.1 LANGUAGE

- A.1.1 The official language of the class is English and in case of dispute over translation the English text shall prevail.
- A.1.2 The word “shall” is mandatory and the word “may” is permissive.

A.2 ABBREVIATIONS

- A.2.1 WS World Sailing
- MNA WS Member National Authority
- KWA Kona Windsurfing Association
- NCA National Class Association
- RRS Racing Rules of Sailing
- ERS Equipment Rules of Sailing

A.3 AUTHORITIES AND RESPONSIBILITIES

- A.3.1 The international authority of the class is WS, which shall co-operate with the KWA in all matters concerning these **class rules**.
- A.3.2 No liability or legal responsibility in respect of these **class rules** can be accepted by WS or KWA, or its delegated representatives.

A.4 WS RULES

- A.4.1 These **class rules** shall be read in conjunction with the ERS.
- A.4.2 Except where used in headings, when a term is printed in “**bold**” the definition in the ERS applies and when a term is printed in “*italics*” the definition in the RRS applies.

A.5 CLASS RULES AMENDMENTS

- A.5.1 Amendments to these **class rules** are subject to the approval of WS in accordance with WS Regulations.

A.6 CLASS RULES INTERPRETATIONS

- A.6.1 Interpretation of these **class rules** shall be made in accordance with WS Regulations.

A.7 LICENSED MANUFACTURERS

- A.7.1 Kona One Design boards, **hull appendages** and **sails** shall be manufactured by Kona Windsurfing AB, or by another manufacturer appointed and licensed by Kona Windsurfing AB in consultation with WS and referred to as licensed manufacturers in these **class rules**.

A.8 SAIL NUMBERS

- A.8.1 Sail numbers shall be issued internationally by KWA.

Section B – Equipment Eligibility

For equipment to be eligible for *racing*, it shall comply with the rules in this section.

B.1 HULL CERTIFICATION & MARKINGS

B.1.1 Hull **certificates** are not issued.

B.1.2 Boards shall display the official WS logo as applied by the manufacturer.

B.2 EVENT INSPECTION

B.2.1 GENERAL

(a) For the purpose of RRS 78, **crews** are considered to be the owners.

(b) The role of **Equipment Inspectors** at an event is to verify that equipment has been produced by a Licensed Manufacturer and has not been subsequently altered, (other than as is permitted within these rules) using whatever inspection methods they deem appropriate, including comparison with a standard or a sample of other equipment presented for inspection. Should this comparison reveal deviation greater than the Equipment Inspector considers being within manufacturing tolerances, this shall be reported to technical representatives of WS, KWA and Kona Windsurfing AB for investigation and a decision on the legality of the equipment. If this investigation takes longer than the time available for inspection, the owner shall present alternative equipment for inspection.

B.3 EVENT LIMITATION MARKS

B.3.1 All items of a **crew's** equipment which are subject to control, as per the schedule on the Regatta Equipment Control Form, and which require **event limitation marks** shall be so marked.

B.3.2 Some items of equipment may receive two **event limitation marks**, one in a readily visible position and a second in a position protected from wear and tear.

PART II – REQUIREMENTS AND LIMITATIONS

The **crew** and his/her equipment shall comply with the Rules in Part II when *racing*. In case of conflict Section C shall prevail.

The rules in Part II are **closed class rules**. **Equipment inspection** shall be carried out in accordance with the ERS except where varied in this Part.

Section C – Conditions for Racing

C.1 GENERAL

C.1.1 RULES

- (a) The following ERS shall not apply: A.2 Certificate; B.1 Position of Equipment.

C.2 CREW

C.2.1 LIMITATIONS

- (a) The **crew** shall consist of one person.

C.2.2 MEMBERSHIP

- (a) No **crew** is permitted to race at a National or International Regatta unless he/she is a member of his/her NCA. If there is no NCA, then the **crew** must be a member of the KWA.

C.2.3 AGE/GENDER/WEIGHT DIVISIONS

- (a) Men & Women

Division	Sailor Weight	Sail Size & Colour (top and trims)	Fin
Light Weight	<65Kg	7.4 Yellow or	40/46
		6.6 Orange or Blue	38/40
Light Medium Weight	≥ 65Kg to <75Kg	7.8 Blue or	40/46
		7.4 Yellow	40/46
Medium Weight	≥ 75Kg to <85Kg	8.2 Green or	40/46
		7.8 Blue	40/46
Light Heavy Weight	≥ 86Kg to <98Kg	9.0 Red or	40/46
		8.2 Green	40/46
Heavy Weight	≥ 98Kg	9.8 Orange or	40/46
		9.0 Red	40/46

- (b) Cadets. Under the age of 15 years old on 31st December of the current year.

Division	Sail Size & Colour (top and trims)	Fin
Cadets	6.6 Orange or Blue	38
	5.8 Red	38

C.3 PERSONAL EQUIPMENT

C.3.1 **Personal equipment** does not have to be produced by a licensed manufacturer.

C.3.2 OPTIONAL

In addition to food and personal effects to keep warm and/or dry, and/or to protect the body, the following may be carried on board:

(a) A harness.

(b) Personal buoyancy which may be prescribed as mandatory in the Sailing Instructions. If prescribed, the personal buoyancy shall conform to the minimum standard of ISO 12402-05 (Level 50N). Additional standards may be prescribed in the Notice of Race.

(c) A container for holding beverages in accordance with RRS Appendix B.2.1 (b)

(d) An electronic or mechanical timing device.

(e) A heart rate monitoring device.

C.3.3 MANDATORY

(a) Clothing and equipment, including harness but excluding beverage container, worn or carried by the **crew** shall not weigh more than 6kg when weighed in accordance with RRS Appendix H.

C.4 PORTABLE EQUIPMENT

C.4.1 Portable equipment does not have to be produced by a licensed manufacturer.

C.4.2 OPTIONAL

(a) A towrope of minimum length 5m and a recommended thickness of 4 mm may be carried by the **crew**. The use of the towrope may be specified as compulsory in an event's Notice of Race or Sailing Instructions.

C.5 ADVERTISING

C.5.1 LIMITATIONS

Advertising shall only be displayed in accordance with WS Regulation 20-Advertising Code.

C.6 HULL

C.6.1 LIMITATIONS

(a) Only one **hull** shall be used during an event, except when lost or damaged beyond repair. A replacement may be made only with the approval of the Race Committee. The Race Committee shall then attach an **event limitation mark** to the replacement **hull** and remove or deface any **event limitation mark** attached to the replaced **hull**.

(b) Any four foot straps shall be fitted to the existing inserts using any stainless steel screw and washer. Foot straps shall be fitted with at

least one screw and washer at each end. The foot straps may be changed or replaced during an event.

C.6.2 HULL WEIGHT

- (a) The **hull** weight, including the complete mast track and gasket assembly, shall not be less than 15.0 kg.
- (b) Any **corrector weights** shall be securely fixed in an accessible position that ensures compliance with C.6.2(a).
- (c) The **hull** may be weighed wet after a minimum of 10 minutes standing vertically on its aft edge.

C.6.3 MAINTENANCE AND MODIFICATIONS

- (a) The **hull** shall not be altered in any way except as permitted by these **class rules**.
- (b) Repairs may be carried out provided such repairs are made in such a way that the essential shape, characteristics or function of the original are not affected. The serial number shall remain legible.
- (c) The underside of the **hull** may be rubbed down and polished.
- (d) The **centreboard** cassette may be shimmed.
- (e) The deck grip may be restored to its original condition with a clear coating provided that the original deck graphics remain legible.

C.7 HULL APPENDAGES

C.7.1 LIMITATIONS

- (a) Only one **centreboard** and one or two **fins** per **crew** as per CR C.2.3 and as supplied by the manufacturer, shall be used during an event, except when lost or unintentionally damaged beyond repair. A replacement may be made only with the approval of the Race Committee. The Race Committee shall then attach an **event limitation mark** to the replacement **hull appendage** and remove or deface any **event limitation mark** attached to the replaced **hull appendage**.
- (b) The **centreboard** shall be carried in the centreboard case at all times when *racing*.

C.7.2 MAINTENANCE AND MODIFICATIONS

- (a) The **hull appendages** shall not be altered in any way except as permitted by these **class rules**.
- (b) Repairs may be carried out provided such repairs are made in such a way that the essential shape, characteristics or function of the original are not affected.
- (c) **Hull appendages** may be lightly sanded and/or polished providing that the essential shape and characteristics of the **hull appendage** are not affected.
- (d) The sides of the **fin** root may be shimmed to fit the **fin** box.
- (e) The **centreboard**/centreboard handle may be tuned to allow a perpendicular (90 degree) position to the hull.

C.8 RIG

C.8.1 LIMITATIONS

- (a) Only one **rig** may be used during an event, except when an item has been lost or unintentionally damaged beyond repair. Such item may only be replaced with the same type of item and with the approval of the Race Committee. The Race Committee shall then attach an **event limitation mark** to the replacement item and remove and deface any **event limitation mark** attached to the replaced item.

C.8.2 MAINTENANCE AND MODIFICATIONS

- (a) The rigs shall not be altered in any way except as permitted by these **class rules**.
- (b) Repairs may be carried out provided such repairs are made in such a way that the essential shape, characteristics or function of the original are not affected.
- (c) The **mast spar** may be lengthened using any aluminium mast extension.
- (d) The **mast spar** extension may be shimmed with any self adhesive tape.
- (e) The **mast** spigot may be shimmed.
- (f) Any uphaul may be fitted.
- (g) A safety line or device to secure the **rig** to the **hull** shall be fitted.
- (h) The downhaul system shall be fixed.
- (i) Any adjustable or fixed outhaul may be used.
- (j) The surface of the **boom spar** grip may be roughened using abrasive material.
- (k) Cleats, pulleys and ropes may be replaced by any of the same characteristics and function.
- (l) Any harness lines may be used.

C.9 SAILS

C.9.1 LIMITATIONS

- (a) Only one **sail** as per CR C.2.3 may be used in an event, except when the **sail** has been lost or unintentionally damaged beyond repair. A replacement may be made only with a **sail** of the same size and with the approval of the Race Committee. The Race Committee shall then attach an **event limitation mark** to the replacement **sail** and remove or deface any **event limitation mark** attached to the replaced **sail**.
- (b) Only one set of battens per sail shall be used during an event.

C.9.2 SAIL IDENTIFICATION

(a) National Letters and Numbers

The national letters and sail number shall be black in colour and applied “back to back” on an opaque white background to the **sail** immediately above batten 3 and as close to the **leech** as possible. The opaque background shall extend a minimum of 30 mm beyond the national letters and sail number. In all other respects they shall comply with RRS Appendix G 1.2 for craft less than 3.5 m in length.

C.9.3 MAINTENANCE AND MODIFICATIONS

- (a) **Sails** and fittings shall not be altered in any way except as permitted by these **class rules**.
- (b) Repairs may be carried out provided such repairs are made in such a way that the essential shape, characteristics or function of the original are not affected.
- (c) Transparent self-adhesive mono-film patches may be attached to the **sail** adjacent to the **boom spar**.
- (d) Battens may be replaced. Such replacements shall be made on a 'like for like' basis using battens supplied by the licensed manufacturer.

Section D – Hull

D.1 GENERAL

D.1.1 MANUFACTURERS

- (a) The **hull** and fittings shall be manufactured by a licensed manufacturer.
- (b) The **hull** shall be produced only by using moulds in the possession of Kona Windsurfing AB.

D.1.2 IDENTIFICATION

- (a) The **hull** shall carry the unique serial number issued by the licenced manufacturer in a legible condition.

D.2 MATERIALS, CONSTRUCTION AND DIMENSIONS

The **hull** shall comply with the Kona One Design building specifications.

D.3 FITTINGS

- (a) mast track complete
- (b) centreboard cassette
- (c) fin box
- (d) gasket assembly
- (e) gaskets
- (f) towing eye
- (g) foot strap fixing inserts

Section E – Hull Appendages

E.1 PARTS

(a) Fin

- i) Kona One 38 cm **Fin**
- ii) Kona One 40 cm Weed **Fin**
- iii) Kona One 46 cm **Fin**

(b) Centreboard.

E.2 GENERAL

E.2.1 MANUFACTURERS

Hull appendages shall be produced only by a licensed manufacturer.

E.2.2 IDENTIFICATION

Fins and **centreboards** shall carry a unique ID number on the headstock applied by the manufacturer.

E.3 MATERIALS, CONSTRUCTION AND DIMENSIONS

The **fin** and **centreboard** shall comply with the Kona One Design building specification.

Section F – Rig

F.1 GENERAL

F.1.1 MANUFACTURERS

In World and Continental Championships only, the **rig** shall be produced by a licensed manufacturer except for cleats, pulleys, ropes uphaul and harness lines. For any other events the **rig** may be produced by any manufacturer.

F.2 MATERIAL, CONSTRUCTION AND DIMENSIONS

F.2.1 **Masts** shall be limited to a carbon content of maximum 75%.

F.2.2 The **boom** shall be constructed of aluminium tubing with plastic end fittings.

Section G – Sails

G.1 PARTS

- (a) 9.8 m² One Design Sail.
- (b) 9.0 m² One Design Sail.

- (c) 8.2 m² One Design Sail.
- (d) 7.4 m² One Design Sail.
- (e) 7.8 m² One Design Sail.
- (e) 6.6 m² One Design Sail.
- (f) 5.8 m² One Design Sail.

G.2 MANUFACTURERS

Sails and fittings shall be manufactured by a licensed manufacturer.

G.3 IDENTIFICATION

The Class insignia shall be applied by the manufacturer.

G.4 MATERIALS, CONSTRUCTION and DIMENSIONS

The **sail** shall comply with the class building Specifications.

G.5 FITTINGS

- (a) Battens